Poly Studio Base Kit G9 Plus for Microsoft Teams HP Mini IP PC w/TC10

The fusion of simplicity and power

The Poly Studio Base Kit G9 Plus for Microsoft Teams Rooms is the reliable, high-performance video conferencing solution for your meeting spaces. Pair it with Poly video bars and A/V for a versatile single-vendor solution that's easy to set up¹.





*Product image may differ from actual product

A simple, straightforward setup

With purposefully curated, collaboration-specific ports and flexible cabling plus simplified setup via IP touch controller, the Poly Studio Base Kit G9 Plus for Microsoft Teams Rooms is ready to go right out of the box1.

A fast and robust connection keeps you on track

Count on the Poly TC10 touch controller to manage your Microsoft Teams meeting from anywhere in the room. Simply connect it to the HP Mini Conferencing PC using a flexible Ethernet cable, and HP software help ensure it can stay up and running all day^{2,3}.

The pinnacle of performance and security

Purpose-built to increase performance, the HP Mini IP Conferencing PC delivers smooth results, boosted by Windows 11 IoT and the newest Intel processor and protected by the additional security of the HP Sure Start self-healing BIOS^{4,5}.

Datasheet



Poly Studio Base Kit G9 Plus for Microsoft Teams HP Mini IP PC w/TC10

Featuring





Smooth setup out of the box

Designed for ease, the Poly Base Kit G9 Plus for Microsoft Teams Rooms features user-friendly ports that streamline room setup, including an HDMI ingest port, USB Type-C® with touch display support, and a PoE port for the IP touch controller.^{1,2}

Reliability at its best

HP software running on the HP Mini IP Conferencing PC keeps the system at the ready by monitoring the health of the Poly TC10 connection and, if a failure is detected, by proactively recovering it.

Control from anywhere in the room

Transform spaces with the Poly Base Kit G9 Microsoft Teams Rooms. The HP Mini IP Conferencing PC powers the whole experience discreetly from the background while you control the meeting with the single or multiple Poly TC10 touch controllers. 12

Packs a punch with safety in mind

Unleash the power needed for collaboration with the HP Mini IP Conferencing PC with 13th gen Intel $^{\circ}$ Core $^{\infty}$ i7 and Windows 11 IoT while ensuring that, if a firmware attack happens, HP Sure Start Gen 7 will automatically recover a safe copy of BIOS. $^{4.5}$

Easy management with Poly Lens

Easily manage the system and connected Poly peripherals remotely using Poly Lens, providing IT professionals with efficient control and maintenance capabilities. 6

Get more done with device management at scale

Feel confident and in control of your meeting room systems with centralized monitoring, device provisioning and updates of the conference room PCs and connected peripherals, with Poly Lens cloud-based device management software.



Poly Studio Base Kit G9 Plus for Microsoft Teams HP Mini IP PC w/TC10

Specifications

HP Mini

Ports and connectors:

Front: 1USB Type-C* 20Gbps signaling rate; 1USB Type-A 10Gbps signaling rate (charging); 1USB Type-A 10Gbps signaling rate; 1 combo audio jack

Rear: 1 USB Type-C° 10Gbps signaling rate (DisplayPort™); 1 USB Type-C° 10Gbps signaling rate; 3 USB Type-A 10Gbps signaling rate; 1 HDMI 2.0b; 1 HDMI 2.1b; 1 RJ-45; 1 standard lock slot; 1 power connector; 2 DisplayPort™ 1.4α; 1 PoE 2.5Gbps signaling rate

Operating system: Windows 11 IoT Enterprise

Processor: Intel® Core™ 17:13700T (up to 4.9 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores,

Chipset: Intel® Q670 (vPro®)1

Graphics (integrated): Intel® UHD Graphics 770

Memory: 16 GB DDR5-4800 MHz RAM (2 x 8 GB) Transfer rates up to 4800 MT/s.

Memory slots: 2 SODIMM

Hard drive: 256 GB PCle® NVMe™ M.2 SSD

Wireless: Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card (supporting gigabit data rate)

Power: 150 W external power adapter, up to 89% efficiency

Expansion slots: 1M.2 2230; 2 M.2 2280 1M.2 2230 slot for WLAN and 2 M.2 2280 slots for storage

Software included: Microsoft Teams Rooms Security management: HP Sure Start Gen7

Security Software Licenses: HP Wolf Pro Security Edition

Display

Aspect ratio: 16:10

Brightness (typical): 300 nits

Display Contrast Ratio (Static): 1000:1

Native resolution: WXGA (1280 x 800)

Panel technology: IPS

Display size (diagonal): 10.1"

Display size (diagonal, metric): 25.7 cm (10.1")

Horizontal viewing angle: 75° Vertical viewing angle: 75°

Connectivity and communications

External I/O ports: 1R.I-45

Power supply

 $\textbf{Power features:} Power over \ \textbf{Ethernet (PoE), compatible with IEEE 802.3 at class 0}$

Certifications

Certifled collaboration software: Microsoft Teams Rooms

Environmental

Operating Altitude (imperial) / Operating Altitude (metric): 10,000 ft / 3,048 m

Operating humidity range: 10 to 90% RH Non-operating humidity range: 5 to 95%

 $\textbf{Operating Temperature Range (Celsius)/Operating Temperature Range (Fahrenheit): } 10\ to\ 35^{\circ}\text{C}\ /\ 50\ to\ 95^{\circ}\text{F}$

Non-operating temperature - Celsius: -20 to $60\,^{\circ}\text{C}$ Non-operating temperature - fahrenheit: -4 to 158 $^{\circ}\text{F}$

Management

Management software:

Poly Lens

Device Management Service

Security

Standard Kensington lock slot

Weight and dimensions

Weight (imperial): 313 lb (HP Mini IP Conference PC); 2.79 lb (Poly TC10 Touch Controller) Weight (metric): 1.42 kg (HP Mini IP Conference PC); 1.27 kg (Poly TC10 Touch Controller)

Product dimensions (imperial): 6.97 x 6.89 x 1.35 in (HP Mini IP Conference PC); 10.25 x 7.25 x 2.5 in (Poly TC10

ouch Controller)

 $\textbf{Product Dimensions (metric):}\ 177\times175\times34\ \text{mm}\ (\text{HP Mini IP Conference PC);}\ 260\times184\times64\ \text{mm}\ (\text{Poly TC10})$

Touch Controller)

Package Weight (imperial): 15 lb

Package Weight (metric): 6800 g

Package dimensions (imperial): 20 x 11 x 11.2 in Package dimensions (metric): 510 x 275 x 280 mm

Master carton quantity: 1

Master carton dimension (imperial): 20 x 11 x 11.2 in Master carton dimension (metric): 51 x 27.5 x 28 cm

Master carton weight (imperial): 15 lb

Master carton weight (metric): 6.8 kg

Cartons per layer: 8

Pallet (layers): 7 Cartons per pallet: 56

Products per layer: 8

Products per pallet: 56

Pallet weight: 840 lb; 381 kg

Pallet dimensions (imperial): $48 \times 40 \times 85$ in Pallet dimensions (metric): $120 \times 100 \times 213$ cm

UPC number: 198415145949

Product number: A3LU8AA

Product name: Poly Studio Base Kit G9 Plus for Microsoft Teams HP Mini IP PC w/TC10

Bundle components: A1ZB6AW, 875K5AA

 $\textbf{Bundle contents:} \ HP\ Mini\ IP\ Conference\ PC\ with\ Microsoft\ Team\ Rooms, Poly\ TC10\ Touch\ Controller$

Warranty

HP1 year standard limited warranty

Country of origin

Country of origin: Made in China or Mexico

What is in the box

Ethernet cable

Setup sheet

Warranty card

AC power adapter

Power cable

Poly TC10 touch controller

HP Mini IP Conference PC with Microsoft Team Rooms

 $HP\, \hbox{DisplayPort to HDMI True 4K Adapter}$

HP Deskop Mini Port Cover v3

HP Desktop Mini v4+ VESA Sleeve with Power Supply Holder 5,6

Key Selling Points Footnotes

¹ Poly Studio Base Kit G9 for Microsoft Teams Rooms includes HP Mini IP Conferencing PC (G9) with 13th Gen Intel[®] Core[®] (7 and Poly TC10 touch controller. Microsoft Teams Rooms Basic software is pre-installed, license activation required and includes all Basic features plus the enhanced in-room meeting experiences, security on the Microsoft Teams Rooms Managed Services platform. A complete Microsoft Teams Rooms Power is paired, the PoE port on the PoE connects to a local POE switch, to which the Poly TC10 touch controllers are connected in the Services of Incense Rooms Power is paired, the PoE port on the PC connects to a local POE switch, to which the Poly TC10 touch controllers are connected. In these scenarios "direct connect to PC" does not apply, Up to four Poly TC10s are supported. ³ HP Software services, included in the HP Mini Conferencing PC, run to monitor the state of Poly TC10 touch controller and enterprise of the POE port on the state of Poly TC10 touch controller and enterprise of the POE port on the POE connects and the POE port on the POE connects to a local POE switch, to which the Poly TC10 touch controllers are connected. In these scenarios "direct connect to PC" does not apply, Up to four Poly TC10s are supported. ³ HP Software services, included in the HP Mini Conferencing PC, run to monitor the state of Poly TC10 touch controller and enterprise to the POE port on the Poly TC10 touch controller and enterprise to the POE port on the POE when the POE port on the POE when the POE port on the POE port on the POE connects and enterprise to the POE port on the POE connects and enterprise to the POE port on the POE connects and enterprise to the POE port on the POE connects and enterprise to the POE port on the POE connects and enterprise to the POE port on the POE connects and enterprise to the POE port on the POE connects and enterprise to the POE port on the POE port on the POE connects and enterprise to the POE port on the POE port on the POE port on the POE port on the POE port on

Technical Specifications Footnotes

¹Intel vPro" on this product requires a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi6E WLAN and TPM 20. Some functionality requires additional 3rd party software in order to run. Features of vPro" Essentials and Enterprise vary. See http://intel.com/vpro.² Nutil-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering branding and/or naming is not a measurement of higher performance. ³Intel" Turbo Boost performance varies depending on hardware, software and overall system configuration. See http://www.hracom/us/en/ads/clientmanagement/overview.html.⁵ Included power cable may vary by country. ⁵ Poly TC10 touch controller comes in the box with the following accessories: Wall mount kit, Table stand; Mounting hardware, RJ-45 cable; Quick start QR code; Warranty card; Poly Lens coaster.

Copyright 2021 PDestparent Company, LP The information contained therein is subject to charge without note. The only warm rise for it P products and services are set of this the express warmsty distinct rests accompanying such products and services. Noting therein is accordantly an additional warmsty IP shad not be lide for behavior or editorial errors or orisions contained been

Datasheet

